

Message

From: Yap-deffler, Yazmine [Yap-Deffler.Yazmine@epa.gov]
Sent: 5/22/2017 2:29:20 PM
To: Vallone, Christopher [Vallone.Christopher@epa.gov]
Subject: RE: Bishop Tube 5/18/2017 Meeting Notes
Attachments: Bishop Tube 5-18 Meeting Notes with PADEP DRN_YYD CMTS.docx

Importance: High

Attached some minor comments. Great job on capturing what transpired at the meeting.

Thanks,
Yaz

Yazmine J. Yap-Deffler, Acting Chief
Site Assessment & Non-NPL Federal Facilities Branch (3HS12)
US EPA Region III
1650 Arch Street
Philadelphia, PA 19103
215-814-3369 (Office)
267-761-2089 (Cell)
yap-deffler.yazmine@epa.gov

From: Vallone, Christopher
Sent: Thursday, May 18, 2017 2:50 PM
To: Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Subject: Bishop Tube 5/18/2017 Meeting Notes

Hi Yaz,

Please see the attached notes from the meeting today and let me know what you think.

Thanks,

Christopher Vallone
Site Assessment Manager, HSCD
Environmental Protection Agency, Region 3
1650 Arch St., 3HS12
Philadelphia, PA 19103
215-814-3306 (desk)